	Ref	# Hits	Search Text	DBs	Time Stamp
71	S71	2904	((image pattern video sound audio	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/01/25 14:26
72	S72	0	series')) SAME ((random) NEAR2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/01/25 14:08
73	S73	0	SAME (waveform analog 'time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/01/25 12:44
74	S74	177	sample) NEAR3 (matching recogniss)) SAME (waveform analog 'time series')) AND ((random) NEAR4 (selects3 chooss3 picks3 extracts3	IP. D/ / • I D/ / •	2004/01/25 12:44
75	S75	159	same (waveform analog 'time series')) AND ((random) NEAR4	14 D(10 10(10	2004/01/25 13:05
76	S76	278	rhoads-geo\$.in.		2004/01/25 12:49

	Ref	#	Hits	Search Text	DBs	Time Stamp
77	S77		71	recogni\$5)) SAME (waveform analog 'time series')) AND ((random) NEAR4 (select\$3 choos\$3 pick\$3 extract\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/01/25 13:04
78	S78			NEAR8 (definition benefit purpose	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/01/25 13:06
79	S79	•		NEAR8 (definition benefit purpose advantage)) AND ((@ad <= "19990921") or (@rlad <=	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/01/25 13:06
80	S80			(FFT or 'fast fourier transform') NEAR4 (definition benefit purpose	14' D(1) • . 1 D(1) •	2004/01/25 13:06
81	S81			NEAR4 (definition benefit purpose advantage)) AND ((@ad <= "19990921") or (@rlad <=	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/01/25 14:10
82	S82		3	series')) AND (((FFT or 'fast fourier transform') NEAR4 (definition benefit purpose	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/01/25 13:14

	Ref	#	Hits	Search Text	DBs	Time Stamp
83	S83	-	3	series')) AND ((FFT or 'fast fourier transform') NEAR4	USPAT;	2004/01/25 13:15
84	S84		5	series')) AND (((FFT or 'fast fourier transform') NEAR8 (definition benefit purpose	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/01/25 13:15
85	S85		2	series!)) SAME ((random) NEAR2 (segment portion select\$3 choos\$3	USPAT;	2004/01/25 14:26
86	S86		211	series')) AND ((random) NEAR2 (segment portion select\$3 choos\$3	USPAT;	2004/01/25 14:09
87	S87		183	series')) AND ((random) NEAR2 (segment portion select\$3 choos\$3	14 D(1 • 1 D(1 •	2004/01/25 14:27
88	S88		15	hoffberg-ste\$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/01/25 14:11

	Ref	Hits	Search Text	DBs	Time Stamp
89	S89		(segment portion select\$3 choos\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/01/25 14:35
90	S90	84395	((image pattern video sound audio	14 D(1 • . 1 D(1 •	2004/01/25 14:26
91	S91	124	<pre>sample) NEAR3 (matching recogni\$5))) SAME ((random) NEAR2 (segment portion select\$3 choos\$3 pick\$3</pre>	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/01/25 14:33
92	S92	104	portion select\$3 choos\$3 pick\$3 extract\$3 interval sequence))) AND	TICDAT.	2004/01/25 14:34
93	S93	104	(segment portion select\$3 choos\$3 pick\$3 extract\$3 interval sequence))) AND ((@ad <=	H D(10 1D(10	2004/01/25 14:27

	Ref	# Hits	Search Text	DBs	Time Stamp
94	S94	24279	interval sequence choice frame))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/01/25 15:27
95	S95	116) SAME (((random) NEAR3 (segment portion select\$3 choos\$3 pick\$3 extract\$3 interval sequence choice	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/01/25 14:34
96	S96	85	portion select\$3 choos\$3 pick\$3 extract\$3 interval sequence choice	US-PGPUB; USPAT;	2004/02/25 19:10
97	S97		pick\$3 extract\$3 interval sequence choice frame)) WITH (sequence data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/01/25 15:52
98	S98	38925	725/18 725/19 "382"/\$.ccls.	1F. D() + 11 D() +	2004/01/25 14:58

	Ref #	Hits	Search Text	DBs	Time Stamp
99	S99	649	select\$3 choos\$3 pick\$3 extract\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/01/25 14:58
100	S100	74	725/18 725/19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/01/25 14:58
101	S101		NEAR3 (segment portion select\$3 choos\$3 pick\$3 extract\$3 interval	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/01/25 15:28
102	S102	0	"brown-re\$xa."	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/01/25 15:00
103	S103	112	brown-re\$.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/01/25 15:04
104	S104	112	brown-re\$.xa. brown-ru\$.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/01/25 15:15
105	S105	23	majeti.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/01/25 15:15
106	S106	0	"753225".URPN.		2004/01/25 15:18

	Ref #	Hits	Search Text	DBs	Time Stamp
107	S107		select\$3 choos\$3 pick\$3 extract\$3 interval sequence choice frame)) WITH (sequence data stream video		2004/01/25 15:29
108	S108		interval sequence choice frame)) WITH (sequence data stream video image))) AND ((@ad <= "19990921")	US-PGPUB; USPAT;	2004/01/25 15:27
109	S109	8125	((random\$2) NEAR3 (segment portion select\$3 choos\$3 pick\$3 extract\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/01/25 15:42
110	S110	7	NEAR3 (segment portion select\$3 choos\$3 pick\$3 extract\$3 interval choice frame)) WITH (data stream	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/01/25 15:29
111	S111	1092	sample) NEAR3 (matching recogniss))) AND (((random\$2) NEAR3 (segment	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/01/25 15:29
112	S112	56	sample) NEAR3 (matching recogniss))) SAME (((random\$2) NEAR3 (segment portion select\$3 choos\$3 pick\$3		2004/01/25 15:29

	Ref #	Hits	Search Text	DBs	Time Stamp
113	S113	35	EVERACES: INFERMAL CHOICE FRAMELL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/01/25 15:44
114	S114	19455	select\$3 choos\$3 pick\$3 extract\$3 interval choice frame)) WITH (data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/01/25 15:42
115	S115	23609	select\$3 choos\$3 pick\$3 extract\$3 interval choice frame)) WITH (data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/01/25 15:56
116	S116	1783) AND (((random\$2) NEAR4 (segment portion select\$3 choos\$3 pick\$3 extract\$3 interval choice frame))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/01/25 15:51
117	S117	84) SAME (((random\$2) NEAR4 (segment portion select\$3 choos\$3 pick\$3 extract\$3 interval choice frame))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/01/25 15:44

	Ref #	Hits	Search Text	DBs	Time Stamp
118	S118	58	portion select\$3 choos\$3 pick\$3 extract\$3 interval choice frame)) WITH (data stream video image	US-PGPUB;	2004/01/25 15:58
119	S119	23.	<pre>interval))) AND ((@ad <= "19990921") or (@rlad <= "19990921"))) NOT ((((image pattern video sound audio sample)</pre>	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/01/25 15:44
120	S120	8	(725/18 725/19) AND (((random\$2) NEAR4 (segment portion select\$3 choos\$3 pick\$3 extract\$3 interval choice frame)) WITH (data stream video image segment portion	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/01/25 15:56
121	S121	760	(((random\$2) NEAR4 (segment portion select\$3 choos\$3 pick\$3 extract\$3 interval choice frame)) WITH (data stream video image segment portion	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/01/25 15:52

	Ref #	Hits	Search Text	DBs	Time Stamp
122	S122	597	interval choice frame)) WITH (data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/01/25 15:52
123	S123	527	<pre>interval choice frame)) WITH (data stream video image segment portion interval))) AND ((@ad <=</pre>		2004/01/25 15:59
124	S124		(segment portion select\$3 choos\$3 pick\$3 extract\$3 interval choice frame)) WITH (data stream video	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/01/25 15:56
125	S125		(segment portion select\$3 choos\$3 pick\$3 extract\$3 interval choice frame)) WITH (data stream video	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/01/25 15:56
126	S126	8	arbitrar\$3) NEAR5 (segment portion select\$3 choos\$3 pick\$3 extract\$3 interval choice frame)) WITH (data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/01/25 15:58
127	S127	3316) AND (((random\$2 arbitrar\$3) NEAR5 (segment portion select\$3 choos\$3 pick\$3 extract\$3 interval choice	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/01/25 15:58

	Ref #	Hits	Search Text	DBs	Time Stamp
128	S128	アノハ /	(((image pattern video sound audio sample) NEAR3 (matching recogni\$5))) SAME (((random\$2 arbitrar\$3) NEAR5 (segment portion select\$3 choos\$3 pick\$3 extract\$3 interval choice frame)) WITH (data stream video image segment portion interval)		2004/01/25 15:58
129	S129	148	choos\$3 pick\$3 extract\$3 interval	US-PGPUB;	2004/01/25 16:24
130	S130	145	select\$3 choos\$3 pick\$3 extract\$3 interval choice frame)) WITH (data stream video image segment portion	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/01/25 16:22
131	S131	1,6654	382/118 382/119 382/162-231.ccls.	14' D() • . D() • !	2004/01/25 16:24
132	S132	636	pick\$3 extract\$3 interval choice frame)) WITH (data stream video image segment portion interval))	IF: P() : I P() : I	2004/01/25 16:24

	Ref #	Hits	Search Text	DBs	Time Stamp
133	S133	510	frame)) WITH (data stream video image segment portion interval))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/01/25 16:26
134	S134	99694	((image pattern video sound audio sample) NEAR3 (matching recogni\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 19:08
135	S135	2	sample) NEAR3 (match\$3 repeat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 19:19
136	S136		separat\$3 select\$3 choos\$3 pick\$3 extract\$3 interval sequence choice frame)) WITH (MPEG\$2 transport	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 19:26
137	S137	9722	SAME (((random\$2 'out of sequence' sampl\$3) NEAR3 (segment portion separat\$3 select\$3 choos\$3 pick\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 19:14

		Ref #	Hits	Search Text	DBs	Time Stamp
	38	S138	9662	sampl\$3) NEAR3 (segment portion separat\$3 select\$3 choos\$3 pick\$3	US-PGPUB;	2004/02/25 19:16
13	39	S139	6901	with (((random\$2 'out of sequence' sampl\$3) NEAR3 (segment portion separat\$3 select\$3 choos\$3 pick\$3		2004/02/25 19:20
14	10	S140	6870	samp1\$3) NEAR3 (segment portion separat\$3 select\$3 choos\$3 pick\$3 extract\$3 interval sequence choice frame) WITH (MPEG\$2 transport	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 19:16

	Ref #	Hits	Search Text	DBs	Time Stamp
141	S141	4947	samp1\$3) NEAR3 (segment portion separat\$3 select\$3 choos\$3 pick\$3	US-PGPUB; USPAT;	2004/02/25 19:23
142	S142	65010	separat\$3 select\$3 choos\$3 pick\$3 extract\$3 interval sequence choice frame)) NEAR8 (MPEG\$2 transport	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 19:19
143	S143	2	((image pattern video sound audio sample) NEAR2 (match\$3 repeat\$3 recogni\$5 detect\$3 determin\$5))		2004/02/25 19:19
144	S144	3465	frame)) NEAR8 (MPEG\$2 transport sequence data stream video image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 19:31

	Ref #	Hits	Search Text	DBs	Time Stamp
145	S145	2260	frame)) NEAR8 (MPEG\$2 transport sequence data stream video image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 19:31
146	S146	1626	frame)) NEAR8 (MPEG\$2 transport sequence data stream video image movie broadcast)) NEAR5 (((image pattern video sound audio sample)		2004/02/25 19:28
147	S147	11019	interval sequence choice frame)) WITH (separat\$3 select\$3 choos\$3 pick\$3 extract\$3) WITH (MPEG\$2	H:P() • . P() •	2004/02/25 20:01
148	S148	739	with (separat\$3 select\$3 choos\$3 pick\$3 extract\$3) WITH (MPEG\$2 transport sequence data stream video image movie broadcast)) WITH		2004/02/25 19:28

	Ref #	Hits	Search Text	DBs	Time Stamp
149	S149		pick\$3 extract\$3) WITH (MPEG\$2 transport sequence data stream video image movie broadcast)) WITH	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 19:31
150	S150	7104	interval sequence choice frame)) NEAR8 (separat\$3 select\$3 choos\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 19:31
151	S151	517	NEAR8 (separat\$3 select\$3 choos\$3 pick\$3 extract\$3) NEAR8 (MPEG\$2	14'D() • .1D() •	2004/02/25 20:03
152	S152	195	NEAR8 (separat\$3 select\$3 choos\$3 pick\$3 extract\$3) NEAR8 (MPEG\$2 transport sequence data stream		2004/02/25 19:31

	Ref #	Hits	Search Text	DBs	Time Stamp
153	S153	154	pick\$3 extract\$3) NEAR8 (MPEG\$2 transport sequence data stream	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 20:07
154	S154	17	video image movie broadcast)) NEAR9 (((image pattern video sound audio	H-D() • . D() • :	2004/02/25 20:22
155	S155	5983	interval sequence choice frame)) WITH (separat\$3 select\$3 choos\$3 pick\$3 extract\$3)) SAME (MPEG\$2	H DI 1 I DI 1 - I	2004/02/25 20:22

	Ref #	Hits	Search Text	DBs	Time Stamp
156	S156	1	choos\$3 pick\$3 extract\$3)) SAME (MPEG\$2 transport sequence data stream video image movie	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 20:03
157	S157	50	(MPEG\$2 transport sequence data stream video image movie		2004/02/25 20:23
158	S158	2	"4739398".pn.	14' D(1) • . 1 D(1) •	2004/02/25 20:11
159	S159	1	"4/39398" on AND random		2004/02/25 20:12
160	\$160		("725"/\$.CCLS. "382"/\$.CCLS. "358"/\$.CCLS. "348"/\$.CCLS.)	H:P() • .1P() •	2004/02/25 20:22

	Ref #	Hits	Search Text	DBs	Time S	Stamp
161	S161	459	choos\$3 pick\$3 extract\$3)) SAME (MPEG\$2 transport sequence data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB		2/25
162	S162	368	choos\$3 pick\$3 extract\$3)) SAME (MPEG\$2 transport sequence data stream video image movie	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/0 20:23	2/25

	Ref #	Hits	Search Text	DBs	Time Stamp
163	S163	356	"19990921") or (@rlad <= "19990921"))) NOT (((((random\$2 'out of sequence' 'out of order')	EPO; JPO; DERWENT; IBM_TDB	2004/02/25 20:24
164	S164	54	725/19		2004/08/09 09:39
165	S165	37	725/19 AND ((@ad <= "19990921") or (@rlad <= "19990921"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 13:26
166	S166	9830	(382/181-231.ccls.) AND ((@ad <= "19990921") or (@rlad <= "19990921"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 09:48

	Ref #	Hits	Search Text	DBs	Time Stamp
167	S167	2435	(frame or ((data video TV television MPEG\$2 image input frame) NEAR3 (stream transport sequence))) WITH ((random\$2 arbitrar\$4 'non-sequen\$4' 'non-order\$2') NEAR4 (select\$3 choice choos\$3 extract\$3 captur\$3 delet\$3 grab\$4 search\$3 separat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 13:26
168	S168	13	<pre>((382/181-231.ccls.) AND ((@ad <= "19990921") or (@rlad <= "19990921"))) AND ((frame or ((data video TV television MPEG\$2 image input frame) NEAR3 (stream transport sequence))) WITH ((random\$2 arbitrar\$4 'non- sequen\$4' 'non-order\$2') NEAR4 (select\$3 choice choos\$3 extract\$3 captur\$3 delet\$3 grab\$4 search\$3 separat\$3)))</pre>	US-PGPUB;	2004/08/09 10:05
169	S169	197	frame) NEAR3 (stream transport sequence))) WITH ((random\$2	16° D(1) • . 1 D(1) • 1	2004/08/09 13:25
170	S170	172	rrame) NEAR3 (stream transport sequence))) WITH ((random\$2 arbitrar\$4 'non-sequen\$4' 'non-order\$2') NEAR4 (select\$3 choice	B:P(): (1P():1	2004/08/09 12:11

	Ref #	Hits	Search Text	DBs	Time Stamp
171	S171	5202	watts.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 12:11
172	S172	5	watts.inv. AND "725"/\$.ccls.		2004/08/09 12:46
173.	S173	8850	707/10		2004/08/09 12:18
174	S174	5995	707/10 AND ((@ad <= "19990927") or (@rlad <= "19990927"))	16 P(10 .1P(10	2004/08/09 12:58
175	S175	1 .	legall.inv. AND "725"/\$.ccls.	16° D(1)	2004/08/09 12:35
176	S176	1630	'look-up' find locat\$3)) WITH ((retriev\$3 result return) NEAR3 (index\$3 key reference or ((ID	14' PO • . 1 PO •	2004/08/09 12:59

	Ref #	Hits	Search Text	DBs	Time Stamp
177	S177	997	((retriev\$3 result return) NEAR3 (index\$3 key reference or ((ID identificat\$3 reference) NEAR2	1H'D() • .1D() •	2004/08/09 13:02
178	S178	4	((retriev\$3 result return) NEAR3 (index\$3 key reference or ((ID identificat\$3 reference) NEAR2	US-PGPUB;	2004/08/09 13:00
179	S179	328	((retriev\$3 result return) NEAR3 (index\$3 key reference or ((ID identificat\$3 reference) NEAR2	US-PGPUB;	2004/08/09 13:00
180	S180	134	((retriev\$3 result return) NEAR3 (index\$3 key reference or ((ID identificat\$3 reference) NEAR2 (code number))))) SAME ((user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 13:02

	Ref #	Hits	Search Text	DBs	Time Stamp
181	S181	143	(((database EPG IPG IEPG data word text image) NEAR3 (search\$3 quer\$3 'look-up' find locat\$3)) WITH ((retriev\$3 result return) NEAR3 (index\$3 key reference or ((ID identificat\$3 reference) NEAR2 (code number))))) SAME ((user customer subscriber client local) NEAR3 (terminal device storage database PC computer STB STT box))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 13:02
182	S182	73	(code number))))) SAME ((user	US-PGPUB;	2004/08/09 13:02
183	S183	15	<pre>input frame) NEAR3 (stream transport sequence))) WITH ((random\$2 arbitrar\$4 'non- sequen\$4' 'non-order\$2') NEAR4</pre>	IB P() • . I P() •	2004/08/09 13:21
184	S184	9881	725/19 or ((382/181-231.ccls.) AND ((@ad <= "19990921") or (@rlad <= "19990921"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 13:24

	Ref #	Hits	Search Text	DBs	Time Stamp
185	S185	2	((image pattern data video) NEAR5 (recogni\$6 correlat\$3 detect\$3 match\$3))	14° D(1) • . 1 D(1) •	2004/08/09 13:25
186	S186	65798 9	"19990921")))) or (((image pattern data video) NEAR5 (recogni\$6	TICDAT.	2004/08/09 13:26
187	S187	1112	order\$2') NEAR4 (select\$3 choice choos\$3 extract\$3 captur\$3 delet\$3 grab\$4 search\$3 separat\$3))) AND	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 13:26
188	S188	763	choos\$3 extract\$3 captur\$3 delet\$3 grab\$4 search\$3 separat\$3))) AND ((725/19 or ((382/181-231.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 13:27

	Ref #	Hits	Search Text	DBs	Time Stamp
189	S189		((725/19 or ((382/181-231.ccls.) AND ((@ad <= "19990921") or (@rlad	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 13:53
190	S190	18	choos\$3 extract\$3 captur\$3 delet\$3 grab\$4 search\$3 separat\$3))) AND	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 13:54
191	S334	1689	portion segment) NEAR4 (recogni\$5 match\$3 correlat\$3)) WITH	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/12/08 15:52

	Ref #	Hits	Search Text	DBs	Time Stamp
192	S335	1654	S334 AND ((@ad <= "199909210") or (@rlad <= "19990921"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/12/08 13:08
193	S336	1074	S334 WITH (waveform pattern signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/12/08
194	S337	1044	S336 AND ((@ad <= "199909210") or (@rlad <= "19990921"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/12/08
195	S338	7	S337 AND ("725"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/12/08
196	S339	646	S336 AND ((@ad <= "19990921") or (@rlad <= "19990921"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/12/08 15:58
197	S340	5	S339 AND ("725"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/12/08 13:12

	Ref #	Hits	Search Text	DBs	Time Stamp
198	S341	14	S339 AND ("348"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/12/08 13:12
199	S342	14	S341 NOT S340	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/12/08
200	S343	1794	((image pattern video television portion segment sound audio 'audiovisual') NEAR4 (recogni\$5 match\$3 correlat\$3)) WITH	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/12/08
201	S344	1	S343 SAME ((sum\$4 summation integrat\$3 add\$3 additional) NEAR3 (intensity value color energy level) NEAR3 (pixel pel cell	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/12/08 18:34
202	S345		S343 AND ((sum\$4 summation integrat\$3 add\$3 additional) WITH (intensity value color energy level) WITH (pixel pel cell block))	EPO; JPO;	2005/12/08 18:39
203	S346	100	S345 AND ((@ad <= "19990921") or (@rlad <= "19990921"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/12/08 18:03

	Ref #	Hits	Search Text	DBs	Time Stamp
204	S347	67 .	725/19.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/12/08
205	S348	28	S347 AND ((@ad <= "19990921") or (@rlad <= "19990921"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/12/08
206	S349	60	725/18.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/12/08
207	S350	35	S349 AND ((@ad <= "19990921") or (@rlad <= "19990921"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/12/08
208	S351	29	S350 NOT S348	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/12/08
209	S352	0	382/194.ccls	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/12/08 18:13

	Ref #	Hits	Search Text	DBs	Time Stamp
210	S353	194	382/194.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/12/08 18:13
211	S354	141	S353 AND ((@ad <= "19990921") or (@rlad <= "19990921"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/12/08
212	S355	141	S354 NOT (S350 S348)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/12/08
213	S356	પ	382/181.ccls.] AND ((@ad <= "19990921") or (@rlad <= "19990921"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/12/08
214	S357	1066	382/181.ccls. AND ((@ad <= "19990921") or (@rlad <= "19990921"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/12/08 18:33
215	S358	1256	S348 S350 S354 S357	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/12/08 18:33

	Ref #	Hits	Search Text	DBs	Time Stamp
216	S359	34	S358 AND ((sum\$4 summation integrat\$3 add\$3 additional) NEAR3 (intensity value color energy level) NEAR3 (pixel pel cell	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/12/08
217	S360	60	S358 AND ((sum\$4 summation integrat\$3 add\$3 additional) WITH (amplitude intensity value color energy level) WITH (pixel pel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/12/08 18:41
218	S361	13	"6202211"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/08/29 21:50

	L#	Hits	Search Text	DBs	Time Stamp
1	L1	1930	kenyon.inv.	EPO; JPO; DERWENT; IBM_TDB	2006/12/11 10:20
2	L2	8	1 and "348"/\$.ccls.		2006/12/11 10:21
3	L3	5 .	1 and "382"/\$.ccls.	•	2006/12/11 10:21
4.	L4	4	("4843562" "5953439").pn.		2006/12/11 10:21
5	L5	1	1" 3 9 1 9 2 7 9 " PN ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '	USPAT; USOCR	2006/12/11 10:29
6	L6	39	1775719 CCLS	USPAT; USOCR	2006/12/11 10:32
7	L7	25			2006/12/11 10:56
8	L8	29	"19990621") OR (@RLAD <=	US-PGPUB; USPAT; USOCR	2006/12/11 10:34
9	L9	104		US-PGPUB; USPAT; USOCR	2006/12/11 10:35
10	L10	197	•	US-PGPUB; USPAT; USOCR	2006/12/11 10:35

	L #	Hits	Search Text	DBs	Time Stamp
11	L11	192	10 NOT 9		2006/12/11 10:36
12	L12	192	11 NOT (7 8)		2006/12/11 10:37
13	L13	1	"5892915".PN.	HICDA'I'	2006/12/11 10:37
14	L14		"19990621") OR (@RLAD <=	ILICIDATI	2006/12/11 10:56
15	L15	11	1 AND ((pattern image) NEAR2 (detect\$3 recognition))		2006/12/11 11:03